•	Application No.	Applicant(s)
Notice of Allowability	10/523,454 Examiner	BADER, AUGUSTINUS
	Examiner	Art Unit
	Allison M. Ford	1651
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT I of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSE[5) or other appropriate com RIGHTS. This application	O in this application. If not included imunication will be mailed in due course. THIS
1. \boxtimes This communication is responsive to <u>telephonic interview</u>	of 20 December 2007.	•
2. The allowed claim(s) is/are <u>87-96,98,99 and 113-122</u> .		
 3. Acknowledgment is made of a claim for foreign priority of a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents and International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	ve been received. ve been received in Applica	ation No
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		file a reply complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be sub- INFORMAL PATENT APPLICATION (PTO-152) which gi		
5. CORRECTED DRAWINGS (as "replacement sheets") mu	ust be submitted.	
(a) ☐ including changes required by the Notice of Draftspe	rson's Patent Drawing Rev	view (PTO-948) attached
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examine Paper No./Mail Date	r's Amendment / Commen	t or in the Office action of
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in		
6. DEPOSIT OF and/or INFORMATION about the dep attached Examiner's comment regarding REQUIREMENT.		
Attachment(s)		,
1. Notice of References Cited (PTO-892)		f Informal Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		v Summary (PTO-413), lo./Mail Date <u>20071220</u> .
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date		er's Amendment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material Output Deposit of Biological Material	8.	Leon B. Lankford, Jr Primary Examiner Art Unit 165

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Jay Franklin on 20 December 2007.

The application has been amended as follows:

Please use the following version of the claims:

1-86. (CANCELED)

- 87. A method of forming an implantable tissue construct for replacement of a human body part, the method comprising the steps of:
- a) forming an inert material into a porous support structure having a predetermined shape and size corresponding to the shape and size of a human body part to be replaced, and which substantially maintains the shape and size of the human body part to be replaced;
- b) encapsulating the entire porous support structure with a boundary layer of cell-impermeable material, which substantially conforms to the predetermined shape and size of the porous support structure;
 - c) introducing living cells into the porous support structure;
- d) promoting cell growth by introducing nutrients and oxygen to the living cells in said porous support structure;
 - e) after completion of cell growth, removing the boundary layer; and

10/523,454

Art Unit: 1651

- f) eliminating the porous support structure; thereby producing an implantable tissue construct having a shape and size corresponding to the human body part to be replaced.
- 88. The method according to claim 87, wherein the step f) of eliminating the porous support structure (1) comprises either mechanically removing or biologically degrading the support structure.
- 89. The method according to claim 87, wherein the inert material used to form the porous support structure is phosphate.
- 90. The method according to claim 87, wherein the cell-impermeable boundary layer (4) is a biological material or a synthetic material.
- 91. The method according to claim 90, wherein the cell-impermeable boundary layer (4) is a hydrogel material.
- 92. The method according to claim 87, wherein the cell-impermeable boundary layer material (4) is gas permeable.
- 93. The method according to claim 87, wherein the step b) of encapsulating the porous support structure with the cell-impermeable boundary layer material (4) comprises one of spraying the porous support structure with the cell-impermeable boundary layer material or dipping the porous support structure in a bath (3) of the cell-impermeable boundary layer material.
- 94. The method according to claim 87, further comprising, between steps a) and b), a step a') forming an

Art Unit: 1651

intermediate layer, between the porous support structure (1) and the boundary layer (4), from a material which remains unbound to the support structure (1) so that the intermediate layer facilitates removal of the boundary layer from the porous support structure.

- 95. The method according to claim 94, wherein the intermediate layer is a lipid layer.
- 96. A method of forming an implantable tissue construct for replacement for a human body part, the method comprising the steps of:
- a) forming an inert material into a porous support structure having a shape and size corresponding to the shape and size of a human body part to be replaced;
- b) enclosing the entire porous support structure within a contiguous boundary layer of cellimpermeable material;
 - . c) providing the porous support structure with at least one inlet;
 - d) introducing living cells into the porous structure;
- e) promoting cell growth within the porous support structure, by introducing nutrients and oxygen to the living cells, so that the cells conform to the size and shape of the porous support structure; and
- f) removing the boundary layer; thereby producing an implantable tissue construct having a size and shape corresponding to the shape and size of the human body part to be replaced.

97. (CANCELED)

98. A method of forming an implantable tissue construct for replacement of a human body part, the method comprising the steps of:

10/523,454 Art Unit: 1651

- a) forming an inert material into a porous support structure having a predetermined shape and size corresponding to the shape and size of a human body part to be replaced, and which substantially maintains the shape and size of the human body part to be replaced;
- b) encapsulating the entire porous support structure with a boundary layer of cell-impermeable material, which substantially conforms to the predetermined shape and size of the porous support structure;
 - c) introducing living cells into the porous support structure;
- d) promoting cell growth by introducing nutrients and oxygen to the living cells in said porous support structure;
- e) after completion of cell growth, removing the boundary layer from the porous support material by mechanically detaching the boundary layer; and
- f) solubilizing the porous support structure; thereby producing an implantable tissue construct having a shape and size corresponding to the human body part to be replaced.
- 99. A method of forming a plurality of implantable tissue constructs for replacement of human body parts, the method comprising the steps of:
- a) forming an inert material into a plurality of porous support structures, each support structure having a predetermined shape and size corresponding to the shape and size of a human body part to be replaced, and which substantially maintain the shape and size of the human body part to be replaced;
- b) completely encapsulating each of the porous support structures with a boundary layer of cellimpermeable material, which substantially conforms to the predetermined shape and size of each of the porous support structures;
 - c) introducing living cells into each of the porous support structures;

10/523,454

Art Unit: 1651

d) promoting cell growth in each of the porous support structures by introducing nutrients and

oxygen to the living cells in each of said porous support structures; and

e) introducing a plurality of the porous support structures (1) into a nutrient solution to facilitate

Page 6

cell growth; and

f) after completion of cell growth, removing the boundary layer from each of the porous support

structures; thereby producing a plurality of implantable tissue constructs each having a shape and size of

the human body part to be replaced.

100-112. (CANCELLED)

113. The method according to claim 96, further comprising a step g) eliminating the porous support

structure (1) by either mechanically removing, or biologically degrading the support structure.

114. The method according to claim 96, wherein the inert material used to form the porous support

structure is phosphate.

115. The method according to claim 96, wherein the cell-impermeable boundary layer (4) is a biological

material or a synthetic material.

116. The method according to claim 115, wherein the cell-impermeable boundary layer (4) is a hydrogel

material.

10/523,454

Art Unit: 1651

117. The method according to claim 96, wherein the cell-impermeable boundary layer material (4) is gas

Page 7

permeable.

118. The method according to claim 96, wherein the step b) of enclosing the porous support structure

with the cell-impermeable boundary layer material (4) comprises one of spraying the porous support

structure with the cell-impermeable boundary layer material or dipping the porous support structure in a

bath (3) of the cell-impermeable boundary layer material.

119. The method according to claim 96, further comprising, between steps a) and b), a step a') forming

an intermediate layer, between the porous support structure (1) and the boundary layer (4), from a

material which remains unbound to the support structure (1) so that the intermediate layer facilitates

removal of the boundary layer from the porous support structure.

120. The method according to claim 119, wherein the intermediate layer is a lipid layer.

121. The method according to claim 96, further comprising a step g) eliminating the porous support

structure from the implantable tissue construct.

122. The method according to claim 96, further comprising the step of removing the boundary layer (4)

from the implantable tissue construct by one of:

mechanically detaching the boundary layer from the porous support structure, and

solubilizing the boundary layer.

10/523,454 Art Unit: 1651

123. (CANCELLED)

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Allison M. Ford whose telephone number is 571-272-2936. The examiner can normally be reached on 7:30-5 M-Th, alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Wityshyn can be reached on 571-272-0926. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application
Information Retrieval (PAIR) system. Status information for published applications may be obtained
from either Private PAIR or Public PAIR. Status information for unpublished applications is available
through Private PAIR only. For more information about the PAIR system, see http://pairdirect.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic
Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer
Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR

CANADA) or 571-272-1000.

Leon Lankford,

A Hini 1651